acc. to OSHA HCS



1 Identification

- · Product identifier
- · Trade name: Metered Air Freshener INDIVIDUAL Mango
- · Manufacturer article number: EAEDC326
- · Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (743)(8)
- · Manufacturer/Supplier:

BradyIFS 7055 Lindell Road Las Vegas, NV 89118 800.293.4698 www.BradyIFS.com

- · Information department: Product safety department
- · Emergency telephone number: 800.293.4698

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Aerosols 1

H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Gases under Pressure - Compressed gas

H280 Contains gas under pressure; may explode if heated.



Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

GHS07

- · **Signal word** Danger
- · Hazard-determining components of labeling:

acetone

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

(Contd. on page 2)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

regulations.

(Contd. of page 1) P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear eye protection / face protection. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/doctor if you feel unwell. P337+P313 *If eye irritation persists: Get medical advice/attention.* Store in a well-ventilated place. Keep container tightly closed. P403+P233 P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. P501 Dispose of contents/container in accordance with local/regional/national/international

· Classification system:

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 4 Reactivity = 1

· HMIS-ratings (scale 0 - 4)

Health = 1 Fire = 4 Reactivity = 1

- · Other hazards
 - Results of PBT and vPvB assessment
 - · **PBT:** Not applicable.
 - · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane, pure	≤2.5%
	Fragrance Trade Secret (743)	≤2.5%

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

- US

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

67-64-1	acetone	200 ppm	
75-28-5	isobutane	5500* pp	
74-98-6	propane	5500* pp	
106-97-8	butane, pure	5500* pp	
110-91-8	morpholine	30 ppm	
	dodecyl methacrylate	6.9 ppm	
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm	
100-51-6	Benzyl alcohol	30 ppm	
• PAC-2:			
67-64-1	acetone	3200* ppm	
75-28-5	isobutane	17000** pp	
74-98-6	propane	17000** pp	
106-97-8	butane, pure	17000** pp	
110-91-8	morpholine	1,300 ppm	
142-90-5	dodecyl methacrylate	76 ppm	
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm	
100-51-6	Benzyl alcohol		
· PAC-3:			
67-64-1	acetone	5700* ppm	
75-28-5	isobutane	53000*** pp	
74-98-6	propane	33000*** pp	
106-97-8	butane, pure	53000*** pp	
110-91-8	morpholine	8000** ppm	
142-90-5	dodecyl methacrylate	460 ppm	
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm	

US ·

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

(Contd. of page 3)

100-51-6 | Benzyl alcohol | 740 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
 - · Storage:
 - · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Parameter: Acetone (nonspecific)

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
 - Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-6	4-1 acetone
PEL	Long-term value: 2400 mg/m³, 1000 ppm
REL	Long-term value: 590 mg/m³, 250 ppm
TLV	Short-term value: 500 ppm
	Long-term value: 250 ppm A4, BEI
75-2	8-5 isobutane
TLV	Short-term value: 1000 ppm (EX)
74-9	8-6 propane
PEL	Long-term value: 1800 mg/m³, 1000 ppm
REL	Long-term value: 1800 mg/m³, 1000 ppm
TLV	see Appendix F Minimal oxygen content (D, EX)
106-	97-8 butane, pure
REL	Long-term value: 1900 mg/m³, 800 ppm
TLV	Short-term value: 1000 ppm (EX)
.]	Ingredients with biological limit values:
67-6	4-1 acetone
BEI	25 mg/L
	Medium: urine
	Time: end of shift

(Contd. on page 5)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

(Contd. of page 4)

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

Personal protective equipment:

· General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Safety glasses



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

- **General Information**
- · Appearance:

· Form: Aerosol

• Color: According to product specification

· Odor: Characteristic · Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range:
 Boiling point/Boiling range:
 -44.5 °C (-48.1 °F)

• Flash point: $< 0 \, ^{\circ}C \, (< 32 \, ^{\circ}F)$

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 6)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

	(Contd. of page
Ignition temperature:	460 °C (860 °F)
· Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	3,000 hPa (2.300 mm Hg)
Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
Solvent content:	
· Organic solvents:	83.8 %
· VOC content:	26.10 %
	261.0 g/l / 2.18 lb/gal
· Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/L	LD/LC50 values that are relevant for classification:	
67-64-1	aceton	ne e
Oral	LD50	5,800 mg/kg (rat)
Dermal	LD50	20,000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 7)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

(Contd. of page 6)

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC	International Agency for Research on Cancer)	
110-91-8	morpholine	3
5989-27-5	(R)-p-mentha-1,8-diene	3
· NTP (1	National Toxicology Program)	
None of the	r ingredients is listed.	
· OSHA	-Ca (Occupational Safety & Health Administration)	
None of the	r ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Uncleaned packagings:
 - · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1950

· UN proper shipping name

 \cdot **DOT**

Aerosols, flammable

· **IMDG** AEROSOLS

· IATA AEROSOLS, flammable

- · Transport hazard class(es)
 - $\cdot DOT$



· Class 2.1 Gases

(Contd. on page 8)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

	(Contd. of page
· Label	2.1
· IMDG, IATA	
· Class	2.1 Gases
· Label	2.1
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Gases
Hazard identification number (Kemler co	
· EMS Number: · Stowage Code	F-D,S-U SW22 For AEROSOLS with a maximum capacity of 1 litr
· Segregation Code	Category A. For AEROSOLS with a capacity above 1 litre Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· IMDG	
Limited quantities (LQ)	
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 - · Sara

· Section	355 (extremely	hazardous substances):
Section	JJJ TEXITEMENT	nuzuruvus suvsiuncesi.

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

67-64-1 acetone ACTIVE

(Contd. on page 9)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

		(Contd. of page 8
75-28-3	isobutane isobutane	ACTIVE
74-98-0	5 propane	ACTIVE
106-97-8	B butane, pure	ACTIVE
25265-71-8	Dipropylene glycol (isomer unspecified)	ACTIVE
110-91-8	morpholine	ACTIVE
142-90-3	dodecyl methacrylate	ACTIVE
5989-27-3	(R)-p-mentha-1,8-diene	ACTIVE
100-51-0	Benzyl alcohol	ACTIVE
78-70-0	Linalool	ACTIVE
5392-40-3	Citral	ACTIVE
· Hazara	lous Air Pollutants	
None of the	ingredients is listed.	
· Proposit	tion 65	
· Chemi	cals known to cause cancer:	
None of the	e ingredients is listed.	
· Chemi	cals known to cause reproductive toxicity for females:	
None of the	e ingredients is listed.	
· Chemi	cals known to cause reproductive toxicity for males:	
None of the	e ingredients is listed.	
· Chemi	cals known to cause developmental toxicity:	
None of the	e ingredients is listed.	
· Carcino	genic categories	
· EPA (Environmental Protection Agency)	
67-64-1 ac	cetone	
· TLV (Threshold Limit Value)	<u> </u>
67-64-1	acetone	A4
110-91-8 1	norpholine	A4
· NIOSI	I-Ca (National Institute for Occupational Safety and Health)	-
MOSI		

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- · Contact: 800.293.4698
 - · Date of preparation / last revision 03/01/2023
 - · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

 $DOT: \ US \ Department \ of \ Transportation$

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

(Contd. on page 10)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Mango

(Contd. of page 9)

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Aerosols 1: Aerosols – Category 1
Gases under Pressure - Compressed gas: Gases under pressure – Compressed gas
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A
Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.