acc. to OSHA HCS



1 Identification

- · Product identifier
 - · Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen
 - Manufacturer article number: EAEDC328 • Application of the substance / the mixture Air Freshener
- Details of the supplier of the safety data sheet (742)(6)
 Manufacturer/Supplier: Brady Industries 7055 Lindell Road

Las Vegas, NV 89118 800.293.4698 www.bradyindustries.com

• Information department: Product safety department • Emergency telephone number: 800.293.4698

2 Hazard(s) identification · Classification of the substance or mixture GHS02 Flame Flammable Aerosols 1 H222 Extremely flammable aerosol. GHS04 Gas cylinder Gases under Pressure - Compressed gas H280 Contains gas under pressure; may explode if heated. GHS07 Eye Irritation 2A H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. Sensitization - Skin 1 Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness. · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms

GHS02 GHS04 GHS07

· Signal word Danger

- *Hazard-determining components of labeling:* acetone
- 3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde alpha-Hexylcinnamaldehyde
- upna-nexylcinnamalaenyc
- · Hazard statements
- H222 Extremely flammable aerosol.
- H280 Contains gas under pressure; may explode if heated.
- H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

(Contd. on page 2)

– US

acc. to OSHA HCS



Reviewed on 03/01/2023

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

		(Contd. of page 1)
	e drowsiness or dizziness.	
· Precautionary s		
P210	Keep away from heat/sparks/open flames/hot surfaces No smoking.	
P211	Do not spray on an open flame or other ignition source.	
P251	Pressurized container: Do not pierce or burn, even after use.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray	
P264	Wash thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing must not be allowed out of the workplace	
P280	<i>Wear protective gloves / eye protection / face protection.</i>	
P302+P352	If on skin: Wash with plenty of water.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for bi	
P305+P351+P.	338 If in eyes: Rinse cautiously with water for several minutes. Remove present and easy to do. Continue rinsing.	contact lenses, if
P312	Call a poison center/doctor if you feel unwell.	
P321	Specific treatment (see on this label).	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P363	Wash contaminated clothing before reuse.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P405	Store locked up.	
P410+P403	Protect from sunlight. Store in a well-ventilated place.	
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50°C/	'122°F.
P501	Dispose of contents/container in accordance with local/regional/nation regulations.	
· Classification syst	0	
· NFPA ratings (se		
Health = 2	,	
Fire = 4		
Reactivity = 1		
· HMIS-ratings (se	cale 0 - 4)	
Health $= 2$,	
<i>Fire</i> $= 4$		
Reactivity = 1		
• Other hazards		
· Results of PBT a	nd vPvB assessment	
• PBT: Not applie		
• vPvB: Not appl		

3 Composition/information on ingredients

• Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Danger	Dangerous components:		
67-64-1	acetone	>50-≤100%	
75-28-5	isobutane	>10-≤25%	
74-98-6	propane	>2.5-≤10%	
106-97-8	butane, pure	≤2.5%	
	Fragrance Trade Secret (742)	≤2.5%	

4 First-aid measures

• Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

acc. to OSHA HCS



Reviewed on 03/01/2023

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
 - Suitable extinguishing agents:
 - *Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.*
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
 - · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

67-64-1	acetone	200 ppm
75-28-5	isobutane	5500* ppm
74-98-6	propane	5500* ppm
106-97-8	butane, pure	5500* ppm
110-91-8	morpholine	30 ppm
142-90-5	dodecyl methacrylate	6.9 ppm
5989-27-5	(R)-p-mentha-1,8-diene	15 ppm
91-64-5	Coumarin	0.88 mg/m
· PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** ppn
74-98-6	propane	17000** ppn
106-97-8	butane, pure	17000** ppn
110-91-8	morpholine	1,300 ppm
142-90-5	dodecyl methacrylate	76 ppm
5989-27-5	(R)-p-mentha-1,8-diene	67 ppm
91-64-5	Coumarin	9.7 mg/m^3
	1	(Contd. on page

acc. to OSHA HCS



Reviewed on 03/01/2023

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

		(Contd. of page 3
• <i>PAC-3</i> :		
67-64-1	acetone	5700* ppm
75-28-5	isobutane	53000*** ppm
74-98-6	propane	33000*** ppm
106-97-8	butane, pure	53000*** ppm
110-91-8	morpholine	8000** ppm
142-90-5	dodecyl methacrylate	460 ppm
5989-27-5	(R)-p-mentha-1,8-diene	170 ppm
91-64-5	Coumarin	58 mg/m ³

7 Handling and storage

· Handling:

• Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

• Conditions for safe storage, including any incompatibilities

- Storage:
 - Requirements to be met by storerooms and receptacles:
 - Observe official regulations on storing packagings with pressurized containers.
 - Information about storage in one common storage facility: Not required.
 - Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
 - Components with limit values that require monitoring at the workplace:
 - The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone PEL Long-term value: 2400 mg/m³, 1000 ppm REL Long-term value: 590 mg/m³, 250 ppm

- TLV Short-term value: 500 ppm
- Long-term value: 250 ppm

A4, BEI **75-28-5 isobutane**

TLV Short-term value: 1000 ppm

(EX)

74-98-6 propane

PEL Long-term value: 1800 mg/m³, 1000 ppm

REL Long-term value: 1800 mg/m³, 1000 ppm

TLV see Appendix F Minimal oxygen content (D, EX)

(Contd. on page 5)

⁻ US

acc. to OSHA HCS



Reviewed on 03/01/2023

106-97-8 butane, pure REL Long-term value: 1900 mg/m³, 800 ppm	(Contd. of
KEL Long-term value. 1900 mg/m ² , 800 ppm	
TLV Show the second second second second	
<i>TLV</i> Short-term value: 1000 ppm (<i>EX</i>)	
Ingredients with biological limit values: 67-64-1 acetone	
BEI 25 mg/L	
Medium: urine	
Time: end of shift	
Parameter: Acetone (nonspecific)	
• Additional information: The lists that were valid during the creation were used as ba	sis.
Exposure controls	
· Personal protective equipment:	
· General protective and hygienic measures:	
Keep away from foodstuffs, beverages and feed.	
Immediately remove all soiled and contaminated clothing.	
Wash hands before breaks and at the end of work.	
Avoid contact with the eyes.	
Avoid contact with the eyes and skin.	
· Breathing equipment:	<i>C</i> :
In case of brief exposure or low pollution use respiratory filter device. In case of exposure use respiratory protective device that is independent of circulating air.	j intensive or i
· Protection of hands:	
The glove material has to be impermeable and resistant to the product/ the substance/ Due to missing tests no recommendation to the glove material can be given preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but als quality and varies from manufacturer to manufacturer. As the product is a pre- substances, the resistance of the glove material can not be calculated in advance and checked prior to the application. • Penetration time of glove material	for the product of diffusion and o on further ma reparation of so

- erties υp • General Information • Appearance:
- · Form:

Aerosol

(Contd. on page 6)

- US

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

	(Contd. of page
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	-44 °C (-47.2 °F)
Flash point:	< 0 °C (< 32 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	460 °C (860 °F)
· Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vap mixtures are possible.
Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	13 Vol %
Vapor pressure at 20 °C (68 °F):	3,000 hPa (2.300 mm Hg)
Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
Solubility in / Miscibility with • Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	er): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
Solvent content:	
• Organic solvents:	83.8 %
· VOC content:	26.11 %
	261.1 g/l / 2.18 lb/gal
· Solids content:	3.6 %
Other information	No further relevant information available.

10 Stability and reactivity

· *Reactivity* No further relevant information available.

· Chemical stability

• *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications. • *Possibility of hazardous reactions* No dangerous reactions known.

• *Conditions to avoid* No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

US

acc. to OSHA HCS

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen



(Contd. of page 6)

· Informa · Acute i	ition on toxicological effects toxicity:	
	· LD/LC50 values that are relevant for classification:	
67-64-1 acetone		
Oral	LD50 5,800 mg/kg (rat)	
Dermal	LD50 20,000 mg/kg (rabbit)	
· on t	ary irritant effect: he skin: No irritant effect. he eye: Irritating effect.	
• Sensi • Additio The pr prepar Irritan • Carci	itization: Sensitization possible through skin contact. onal toxicological information: roduct shows the following dangers according to internally approved calculation n ations: t inogenic categories	nethods fo
· Sensi · Additio The pr prepar Irritan · Carci · IAR	itization: Sensitization possible through skin contact. onal toxicological information: roduct shows the following dangers according to internally approved calculation n rations: t inogenic categories C (International Agency for Research on Cancer)	
Sensi Additio The pr prepar Irritan Carci IAR 110-91	itization: Sensitization possible through skin contact. onal toxicological information: roduct shows the following dangers according to internally approved calculation n ations: t inogenic categories C (International Agency for Research on Cancer) -8 morpholine	nethods fo
· Sensi · Additio The pr prepara Irritant · Carci · IAR 110-91 5989-27	itization: Sensitization possible through skin contact. onal toxicological information: roduct shows the following dangers according to internally approved calculation n rations: t inogenic categories C (International Agency for Research on Cancer)	
· Sensi · Additio The pr prepar · Carci · Carci 110-91 5989-27 91-64	Activation: Sensitization possible through skin contact. Onal toxicological information: roduct shows the following dangers according to internally approved calculation nettions: t inogenic categories C (International Agency for Research on Cancer) -8 morpholine -5 (R)-p-mentha-1,8-diene	3

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- *Persistence and degradability* No further relevant information available.
- · Behavior in environmental systems:
- *Bioaccumulative potential* No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

· UN-Number		
DOT, IMDG, IATA	UN1950	
· UN proper shipping name		
$D\dot{O}T$	Aerosols, flammable	

acc. to OSHA HCS



Reviewed on 03/01/2023

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

	(Contd. of page
· IMDG	AEROSOLS
· IATA	AEROSOLS, flammable
Transport hazard class(es)	
·DOT	
FLAMMABLE CAS	
2	
· Class	2.1 Gases
·Label	2.1
· IMDG, IATA	
2	
· Class	2.1 Gases
· Label	2.1 Gases 2.1
Packing group	
· DOT, IMDG, IATA	not regulated
Environmental hazards:	
· Marine pollutant:	No
Special precautions for user	Warning: Gases
• Hazard identification number (Kemler cod	
EMS Number:	F-D,S-U SW22 For AFROSOLS with a maximum compation of Little
· Stowage Code	SW22 For AEROSOLS with a maximum capacity of 1 litre Category A. For AEROSOLS with a capacity above 1 litre
	Category B. For WASTE AEROSOLS: Category C, Clea
	of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre.
	Segregation as for class 9. Stow "separated from" class
	except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2.
	For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
·IMDG	
Limited quantities (LQ)	
• Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

(Contd. on page 9)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

(Contd. of page 8)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or	mixture
No further relevant information available.	

· Sara

	· Section 355 ((extremely hazardous substances):	
λT	C .1 ·	1 1 1	_

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (T	oxic Substances Control Act):	
67-64-1	acetone	ACTIVE
75-28-5	isobutane	ACTIVE
74-98-6	propane	ACTIVE
106-97-8	butane, pure	ACTIVE
25265-71-8	Dipropylene glycol (isomer unspecified)	ACTIVE
127-51-5	alpha-iso-Methylionone	ACTIVE
101-86-0	alpha-Hexylcinnamaldehyde	ACTIVE
110-91-8	morpholine	ACTIVE
142-90-5	dodecyl methacrylate	ACTIVE
5989-27-5	(R)-p-mentha-1,8-diene	ACTIVE
78-70-6	Linalool	ACTIVE
31906-04-4	3 and 4-(4-Hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde	ACTIVE
107-75-5	Hydroxycitronellal	ACTIVE
106-24-1	geraniol	ACTIVE
118-58-1	benzyl salicylate	ACTIVE
91-64-5	Coumarin	ACTIVE
5392-40-5	Citral	ACTIVE
·Hazard	ous Air Pollutants	

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1 acetone

· TLV (Threshold Limit Value)

67-64-1 acetone

110-91-8 morpholine

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 10)

Ι

A4 A4

[–] US

acc. to OSHA HCS



Reviewed on 03/01/2023

Trade name: Metered Air Freshener INDIVIDUAL Fresh Linen

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Product Safety Department

- · Contact: 800.293.4698
- Date of preparation / last revision 03/01/2023 · Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flammable Aerosols 1: Aerosols – Category 1 Gases under Pressure - Compressed gas: Gases under pressure - Compressed gas Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A Sensitization - Skin 1: Skin sensitisation - Category 1 Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3 • * Data compared to the previous version altered.