acc. to OSHA HCS



### 1 Identification

- · Product identifier
- · Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh
- · Manufacturer article number: EAEDC329
- · Application of the substance / the mixture Air Freshener.
- Details of the supplier of the safety data sheet (745)(10)
- · Manufacturer/Supplier:

BradyIFS 7055 Lindell Road Las Vegas, NV 89118 800.293.4698 www.BradyIFS.com

- · Information department: Product safety department
- · Emergency telephone number: 800.293.4698

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Aerosols 1

H222 Extremely flammable aerosol.



GHS04 Gas cylinder

Gases under Pressure - Compressed gas

H280 Contains gas under pressure; may explode if heated.



Eye Irritation 2A

H319 Causes serious eye irritation.

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- · Label elements
  - · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS02

GHS04

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

alpha-Hexylcinnamaldehyde

dl-Citronellol

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

(Contd. of page 1)

H336 May cause drowsiness or dizziness.

#### · Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

*P264* Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

*P280* Wear protective gloves / eye protection / face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

*P363* Wash contaminated clothing before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### · Classification system:

· NFPA ratings (scale 0 - 4)

Health = 1 Fire = 4

Reactivity = 1

· HMIS-ratings (scale 0 - 4)

Health = 1 Fire = 4 Reactivity = 1

Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangero	Dangerous components:	
67-64-1	acetone	>50-≤100%
75-28-5	isobutane	>10-≤25%
74-98-6	propane	>2.5-≤10%
106-97-8	butane, pure	≤2.5%
	Fragrance Trade Secret (745)	≤2.5%

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

(Contd. on page 3)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

(Contd. of page 2)

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textit{Indication of any immediate medical attention and special treatment needed}$

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire-extinguishing media appropriate for surrounding materials. Foam. Dry powder. Carbon dioxide. Water spray. Sand.

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

· PAC-1:		
67-64-1	acetone	200 ppm
75-28-5	isobutane	5500* ppm
74-98-6	propane	5500* ppm
106-97-8	butane, pure	5500* ppm
110-91-8	morpholine	30 ppm
142-90-5	dodecyl methacrylate	6.9 ppm
91-64-5	Coumarin	$0.88 \text{ mg/m}^3$
100-51-6	Benzyl alcohol	30 ppm
· PAC-2:		
67-64-1	acetone	3200* ppm
75-28-5	isobutane	17000** ppm
74-98-6	propane	17000** ppm
106-97-8	butane, pure	17000** ppm
110-91-8	morpholine	1,300 ppm
142-90-5	dodecyl methacrylate	76 ppm
91-64-5	Coumarin	9.7 mg/m³
100-51-6	Benzyl alcohol	52 ppm
		(Contd. on page

US

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

		(Contd. of page
· PAC-3:		
67-64-1 acetone		5700* ppm
75-28-5 isobutar	e e	53000*** ppi
74-98-6 propane		33000*** pp.
106-97-8 butane,	pure	53000*** pp.
110-91-8 morpho	line	8000** ppm
142-90-5 dodecyl	methacrylate	460 ppm
91-64-5 Coumar	in	$58 \text{ mg/m}^3$
100-51-6 Benzyl d	lcohol	740 ppm

### 7 Handling and storage

- · Handling:
- · **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Do not spray on a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurized containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-64-1 acetone	
PEL Long-term value: 2400 mg/m³, 1000 ppm	
REL Long-term value: 590 mg/m³, 250 ppm	
TLV Short-term value: 500 ppm Long-term value: 250 ppm A4, BEI	
75-28-5 isobutane	
TLV Short-term value: 1000 ppm (EX)	
74-98-6 propane	
PEL Long-term value: 1800 mg/m³, 1000 ppm	
REL Long-term value: 1800 mg/m³, 1000 ppm	
TLV see Appendix F Minimal oxygen content (D, EX)	
·	(Contd. on pag

- HC

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

(Contd. of page 4)

#### 106-97-8 butane, pure

REL Long-term value: 1900 mg/m<sup>3</sup>, 800 ppm

TLV | Short-term value: 1000 ppm

(EX)

#### · Ingredients with biological limit values:

#### 67-64-1 acetone

BEI 25 mg/L

Medium: urine Time: end of shift

Parameter: Acetone (nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

#### · Personal protective equipment:

#### · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

#### · Eye protection:

Safety glasses



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
  - · General Information
  - · Appearance:

Form: Aerosol

(Contd. on page 6)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

	(Contd. of page
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	-44 °C (-47.2 °F)
· Flash point:	< 0 °C (< 32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	460 °C (860 °F)
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vap
	mixtures are possible.
Explosion limits:	
· Lower:	1.8 Vol %
· Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	3,000 hPa (2.300 mm Hg)
Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Kinematic:	Not determined.
Solvent content:	
Organic solvents:	83.8 %
· VOC content:	26.05 %
	260.5 g/l / 2.17 lb/gal
· Solids content:	4.2 %
Other information	No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

· IIS

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

(Contd. of page 6)

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/L	· LD/LC50 values that are relevant for classification:		
67-64-1			
Oral	LD50	5,800 mg/kg (rat)	
Dermal	LD50	20,000 mg/kg (rabbit)	

- Primary irritant effect:
- · on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC	· IARC (International Agency for Research on Cancer)		
110-91-8	morpholine	3	
91-64-5	Coumarin	3	
·NTP	· NTP (National Toxicology Program)		
None of th	None of the ingredients is listed.		
· OSH	· OSHA-Ca (Occupational Safety & Health Administration)		
None of th	ne ingredients is listed.		

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Uncleaned packagings:
  - · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

UN1950

(Contd. on page 8)

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

	(Contd. of page
UN proper shipping name	
· DOT	Aerosols, flammable AEROSOLS
· IMDG · IATA	AEROSOLS AEROSOLS, flammable
Transport hazard class(es)	THROSOLS, Junimuote
·DOT	
RAMARIE CAS	
· Class	2.1 Gases
· Label	2.1
· IMDG, IATA	
Class	21.0
· Class · Label	2.1 Gases 2.1
Packing group	~·-
· DOT, IMDG, IATA	not regulated
Environmental hazards: · Marine pollutant:	No
Special precautions for user	Warning: Gases
· Hazard identification number (Kemler cod	
EMS Number:	F-D,S-U
Secure Code	SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.
· Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litre Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	••
· DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· IMDG	
· Limited quantities (LQ)	IL
	Code: E0
· Limited quantities (LQ)	

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

15 Regulatory information

(Contd. of page 8)

#### · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): None of the ingredients is listed. · TSCA (Toxic Substances Control Act): 67-64-1 acetone *ACTIVE* **ACTIVE** 75-28-5 *isobutane* **ACTIVE** 74-98-6 propane **ACTIVE** 106-97-8 butane, pure 25265-71-8 Dipropylene glycol (isomer unspecified) **ACTIVE ACTIVE** 101-86-0 alpha-Hexylcinnamaldehyde 106-22-9 dl-Citronellol **ACTIVE** 110-91-8 morpholine **ACTIVE** 142-90-5 dodecyl methacrylate **ACTIVE** 127-51-5 alpha-iso-Methylionone **ACTIVE** 91-64-5 Coumarin **ACTIVE** 78-70-6 Linalool **ACTIVE** 100-51-6 Benzyl alcohol ACTIVE · Hazardous Air Pollutants None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

C.1.1.C.1.1		
· EPA	(Environmental Protection Agency)	
67-64-1	acetone	I
· TLV	(Threshold Limit Value)	
67-64-1	acetone	A4
110-91-8	morpholine	A4
· NIOS	SH-Ca (National Institute for Occupational Safety and Health)	
None of t	he ingredients is listed.	

· Chemical safety assessment: A Chemical Safety Assessment has been carried out.

115

acc. to OSHA HCS



Trade name: Metered Air Freshener INDIVIDUAL Powder Fresh

(Contd. of page 9)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Product Safety Department
- · Contact: 800.293.4698
- · Date of preparation / last revision 03/01/2023
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Aerosols 1: Aerosols – Category 1

Gases under Pressure - Compressed gas: Gases under pressure - Compressed gas

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

110